



STORAGE BOXES & PALLET CONTAINERS

pg. 87 - pg. 97

ideal for space



TTF Pallet Cages is specially designed to withstand the load of medium weight loading items.



Loading capacity: 1000kg / 1500kg



Detachable Pallet Cages
Loading capacity: 1000kg

Product Code	Dimension Inner H x D x L (mm)	Dimension Outer H x D x L (mm)	Post	Base	Guide Rail	Front Plate	Finishing	Loading Capacity (kgs)	Colour & Decking Material	Stackable
PC 1	1400 x 1050 x 1250	1640 x 1100 x 1350	1.9mm thickness x 50x50mm SHS	1.6mm thickness x 38x38mm SHS or 1.6mm thickness x 50x50mm SHS	4mm thickness x 50x50mm Angle Bar	3mm thickness MSP	Glossy Paint	1000 or 1500	Available Customise	Max. 3
PC 2	1800 x 1050 x 1250	2040 x 1100 x 1350								
PC 3	1400 x 1200 x 1200	1640 x 1250 x 1300								
PC 4	1800 x 1200 x 1200	2040 x 1250 x 1300								
PC 5	1400 x 1300 x 1300	1640 x 1350 x 1400								
PC 6	1800 x 1300 x 1300	2040 x 1350 x 1400								
PC 7	1000 x 1150 x 1250	1240 x 1200 x 1350								
PC 8	1200 x 1150 x 1250	1440 x 1200 x 1350								
PC 9	1000 x 1150 x 1350	1240 x 1200 x 1450								
PC 10	1200 x 1150 x 1350	1440 x 1200 x 1450								
PC 11	1000 x 1150 x 1450	1240 x 1200 x 1550								
PC 12	1200 x 1150 x 1450	1440 x 1200 x 1550								

Special size available on request.





Special made - design for stack 4 pallet cages





Iron Man Pallet Mesh is handy, convenient, cost efficient in the sense that they are portable, durable, collapsible, stackable, prevent costly product being easily damaged associated with bulk stacking and provide product identification with increase stock control efficiency. In addition, it also provide us better space utilization and promote better material flow cum handling.

Code	PM 3	PM 5	PM 7	PM 9
Height (mm)	650	840	900	1000
Width (mm)	600	805	1000	1200
Length (mm)	805	1000	1200	1400
Loading capacity (kg)	800	1200	1500	1000
Number of layer	4			
Pitch (mm)	50			
Wire diameter (mm)	6.0			
Legs height (mm)	100			
Volume M ³	0.22	0.52	0.84	1.36



Product Features




Rectangle ear lock



3mm thickness metal clamp




Emboss logo on leg



Reinforce steel wired in u-channel beam enhance stability.



Edge folded metal plate




Nestable



Accessories

Pallet Mesh Top Cover



Fitting of heavy duty castor wheel



Stackable

Code	PMTC 3	PMTC 5	PMTC 7	PMTC 9
Width (mm)	610	805	1010	1210
Length (mm)	805	1005	1205	1405